	_
l	스
l	Ţ
i	\boldsymbol{C}
l	ÌΤ
ł	
l	<u> </u>
1	7

							Sheet	1 of		
APPLICANT	FACSIMILE	OF FORM PTO-1449	COMME	PARTMENT OF RCE AND TRADEMARK OFFICE	ATTY DOCKET NO GNN-5343CP2		SERIAL NO. 10/085906	I	ווע	
LIS.	T OF I	PUBLIDA PONS Use Several sheet	CITED BY A	APPLICA NT arv)	APPLICANT Vincent Ling et al		10/00000	CENTE		
	•	JUI 0 5 2002		,,	FILING DATE February 27, 2002		1634	T:	200	
		THE WAY	.87	PATENT DOC					2	
EXAMINER INITIAL		DOCUMENT NOMBER	DATE		NAME	CLASS	SUBCLASS	FILING DA	ATE DIATE	
95	A1	5,364,759	11/1994	Caskey et al.		435	6	II Per inc.	MAIL	
1	A2	5,369,004	11/1994	Polymeropoulo	os et al.	435	6			
	A3	5,378,602	1/1995	Polymeropould	os et al.	435	6	·		
	A4	5,468,610	11/1995	Polymeropouk	os et al.	435	6			
V	A5	5,753,442	5/1998	Tyan		435	6	~		
95	A6	5,851,795	12/1998	Linsley et al. 435			69.1			
			FOREI	GN PATENT DO	CUMENTS		-			
		DOCUMENT NUMBER	DATE COUNTRY CLASS SUBCLASS T					TRANSLA	TION	
				_	OPY OF PAPERS	_		YES	NO	
	+-1			O	RIGINALLY FILED					
			i			L	<u> </u>			
					te, Pertinent Pages,					
95	A7	Awata, Takuya et al. "Association of CTLA-4 Gene A-G Polymorphism (IDDM12 Locus) With Acute-Onset and Insulin-Depleted IDDM as Well as Autoimmune Thyroid Disease (Graves' Disease and Hashimoto's Thyroiditis) in the Japanese Population" Diabetes 47:128-29 (1998)								
-	A8	Badenhoop, l	Badenhoop, K. et al. "Genetic markers in diagnosis and prediction of relapse in Graves' disease" Exp. Clin. Endocrinol. Diabetes 104(Suppl. 4):98-100 (1996)							
	А9		stine et al. '		28: Similar Proteins	, Neighbo	oring Genes"	Int. J. Ca	ncer	
	A10	Barbesino, Gi	useppe et a		lysis of Candidate G Genes" <i>J. Clin. Endo</i>					
	A11	Barton, A. et a Eur. J. Immur	al. "Polymor nogenet. 25	phic CTLA-4 All (1):59, Abstract	eles are not Associa No. 4.3 (Feb. 1998)	ted with	Rheumatoid /	Arthritis (F	RA)"	
	A12	Braun, J. et a	I. "CTLA-4 p		s in patients with Gra	aves' dise	ease and Has	himoto's		
	A13	Buonavista, N. et al. "Molecular Linkage of the Human CTI A4 and CD28 In Superfamily Conce								

in Yeast Artificial Chromosomes" Genomics 13(3):856-61 (July 1992) Chapiro, J. et al. "Thérapie génique en oncologie: applications au cancer du poumon" ["Gene therapy in oncology: applications to lung cancer"][French] Revue Des Maladies Respiratoires 13(5):467-76 (Oct. 13, 1996)(Abstract attached) Colucci, Francesco et al. "Apoptosis resistance of nonobese diabetic peripheral lymphocytes linked to the Idd5 diabetes susceptibility region" Proc. Natl. Acad. Sci. USA 94(16):8670-74 (Aug. 1997) Dariavach, Piona et al. "Human Ig Superfamility CTLA-4 gene: chromosomal localization and identity of protein sequence between murine and human CTLA-4 cytoplasmic domains" Eur. J. Immunol. 18:1901-05 (1988) **Date Considered**

12/12/03

*EXAMINER:

Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Search Communication of Position State of Position Positi			· · · · · ·		•	Sheet 2 of	· <u>克</u>			
(Use se'egal sheets if necessary) Vincent Ling et al. Vincent Ling et		FACSIMIL	E OF	COMMERCE		SERIAL NO.	0			
(Use selve) at sheets if necessary) Vincent Ling et al.	LIS			BUXATIONS CITED BY APPLICANT		70/05550	<u> </u>	_		
OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Peichmann, Klaus et al. "An Mse I RFLP in the Human CTLA4 Promotor" Biochem. Biophys. Res. Commun. 225:817-18, Article No. 1256 (Aug. 23, 1996) Dijilali-Saiah, I. et al. "CTLA4 gene polymorphism is associated with predisposition to coeliac diseases" Gut 43:187-89 (1998) Dijilali-Saiah, I driss. et al. "No Major Role for the CTLA-4 Gene in the Association of Autoimmune Thyroid Disease With IDDM" Diabetes 47:125-27 (Jan. 1998) Donner, Horst et al. "Codon 17 Polymorphism of the Cytotoxic T Lymphocyte Antigen 4 Gene in Hashimoto's Thyroidits and Addison's Disease" J. Clin. Endocrinol. Metabol. 82(1):43-46 (1997) Donner, Horst et al. "CTLA4 Alanine-17 Confers Genetic Susceptibility to Graves' Disease and to Type 1 Diabetes Mellitus" J. Clin. Endocrinol. Metabol. 82(1):143-46 (1997) Donner, Horst et al. "CTLA4 Gene Haplotypes Cannot Protect From IDDM in the Presence of High-Risk HLA DQ8 or DQ2 Atleles in German Families" Diabetes 47:1155-80 (1998) Bi Epplen, Jorg T. et al. "Exploiting the Informativity of Meaningless' Simple Repetitive DNA from Indirect Gene Diagnosis to Multilocus Genome Scanning" Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) Bi Friedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:478-91 (1997) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:478-91 (1997) Free Heward, Jul. M. et al. "No evidence for alleliac association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:609-13	1	, כ	(1 10	o not should be a second		Leavin				
OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Peichmann, Klaus et al. "An Mse I RFLP in the Human CTLA4 Promotor" Biochem. Biophys. Res. Commun. 225:817-18, Article No. 1256 (Aug. 23, 1996) Dijilali-Saiah, I. et al. "CTLA4 gene polymorphism is associated with predisposition to coeliac diseases" Gut 43:187-89 (1998) Dijilali-Saiah, I driss. et al. "No Major Role for the CTLA-4 Gene in the Association of Autoimmune Thyroid Disease With IDDM" Diabetes 47:125-27 (Jan. 1998) Donner, Horst et al. "Codon 17 Polymorphism of the Cytotoxic T Lymphocyte Antigen 4 Gene in Hashimoto's Thyroidits and Addison's Disease" J. Clin. Endocrinol. Metabol. 82(1):43-46 (1997) Donner, Horst et al. "CTLA4 Alanine-17 Confers Genetic Susceptibility to Graves' Disease and to Type 1 Diabetes Mellitus" J. Clin. Endocrinol. Metabol. 82(1):143-46 (1997) Donner, Horst et al. "CTLA4 Gene Haplotypes Cannot Protect From IDDM in the Presence of High-Risk HLA DQ8 or DQ2 Atleles in German Families" Diabetes 47:1155-80 (1998) Bi Epplen, Jorg T. et al. "Exploiting the Informativity of Meaningless' Simple Repetitive DNA from Indirect Gene Diagnosis to Multilocus Genome Scanning" Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) Bi Friedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:478-91 (1997) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:478-91 (1997) Free Heward, Jul. M. et al. "No evidence for alleliac association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:609-13		INF O	, 5	7000 2			98	002		
Deichmann, Klaus et al. "An Mse I RFLP in the Human CTLA4 Promotor" Biochem. Biophys. Res. Commun. 225:817-18, Article No. 1256 (Aug. 23, 1996) Dijali-Saiah, I. et al. "CTLA4 gene polymorphism is associated with predisposition to coeliac disease" Gut 43:187-89 (1998) Dijali-Saiah, I. et al. "CTLA4 gene polymorphism is associated with predisposition to coeliac disease" Gut 43:187-89 (1998) Donner, Horst et al. "Codon 17 Polymorphism of the Cytotoxic T Lymphocyte Antigen 4 Gene in Hashimoto's Thyroiditis and Addison's Disease" J. Clin. Endocrinol. Metabol. 82(12):4130-32 (1997) Donner, Horst et al. "CTLA4 Alanine-17 Confers Genetic Susceptibility to Graves' Disease and to Type 1 Diabetes Melillus" J. Clin. Endocrinol. Metabol. 82(1):143-46 (1997) Donner, Horst et al. "CTLA4 Gene Haplotypes Cannot Protect From IDDM in the Presence of High-Risk H.A. DQ8 or DQ2 Alleles in German Families" Diabetes 47:1158-60 (1998) Be Donner, Horst et al. "On simple repetitive DNA sequences and complex diseases" Electrophoresis 18:1577-85 (1997) Be Epplen, Cornelia et al. "On simple repetitive DNA sequences and complex diseases" Electrophoresis 18:1577-85 (1997) Be Epplen, Togo T. et al. "Exploiting the Informativity of Meaningless' Simple Repetitive DNA from Indirect Gene Diagnosis to Multilocus Genome Scanning" Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) Briedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosome Location". J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen CL. "Genetic susceptibility to the development of autoimmune diseases" Clin. Sci. 93:479-91 (1997) Heward, JM, et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (19	4			.9/			80			
Res. Commun. 225.817-18. Article No. 1256 (Aug. 23, 1996) Dijiali-Saiah, I. et al. "CTLA-4 gene polymorphism is associated with predisposition to coeliac disease" Gut 43:187-89 (1998) Dijiali-Saiah, Idriss. et al. "No Major Role for the CTLA-4 Gene in the Association of Autoimmune Thyroid Disease With IDDM" Diabetes 47:125-27 (Jan. 1998) Donner, Horst et al. "Codon 17 Polymorphism of the Cytotoxic T Lymphocyte Antigen 4 Gene in Hashimoto's Thyroiditis and Addison's Disease" J. Clin. Endocrinol. Metabol. 82(12):4130-32 (1997) Donner, Horst et al. "CTLA4 Alanine-17 Confers Genetic Susceptibility to Graves' Disease and to Type 1 Diabetes Mellitus" J. Clin. Endocrinol. Metabol. 82(1):143-46 (1997) Donner, Horst et al. "CTLA4 Gene Haplotypes Cannot Protect From IDDM in the Presence of High-Risk HLA DQB or DQ2 Alleles in German Families" Diabetes 47:1158-60 (1998) Epplen, Cornelia et al. "On simple repetitive DNA sequences and compted diseases" Electrophoresis 18:1577-85 (1997) Be Epplen, Jorg T. et al. "Exploiting the Informativity of "Meaningless' Simple Repetitive DNA from Indirect Gene Diagnosis to Multilocus Genome Scanning" Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) Friedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-81 (1997) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-81 (1997) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-81 (1997) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-81 (19	$\overline{\sim}$	\$M7:	TRA'	Deichmann Klaus et al. "An Mse I RFLP		tor" Rinchem Bic	_			
Dijiali-Saiah, I. et al. "CTLA-4 gene polymorphism is associated with predisposition to coeliac disease" Gut 43:187-89 (1998) Dijiali-Saiah, Idriss. et al. "No Major Role for the CTLA-4 Gene in the Association of Autoimmune Thyroid Disease With IDDM" Diabetes 47:125-27 (Jan. 1998) Donner, Horst et al. "Cotdon 17 Polymorphism of the Cytotoxic T Lymphocyte Antigen 4 Gene in Hashimoto's Thyroiditis and Addison's Disease" J. Clin. Endocrinol. Metabol. 82(12):4130-32 (1997) Donner, Horst et al. "CTLA4 Alanine-17 Confers Genetic Susceptibility to Graves' Disease and to Type 1 Diabetes Melitius" J. Clin. Endocrinol. Metabol. 82(1):143-46 (1997) Bis Donner, Horst et al. "CTLA4 Gene Haplotypes Cannot Protect From IDDM in the Presence of High-Risk HJA DQ8 or DQ2 Alleles in German Families" Diabetes 47:1158-60 (1998) Epplen, Cornelia et al. "On simple repetitive DNA sequences and complex diseases" Electrophoresis 18:1577-85 (1997) Epplen, Cornelia et al. "On simple repetitive DNA sequences and complex diseases" Electrophoresis 18:1577-85 (1997) Bis Epplen, Jog T. et al. "Exploiting the Informativity of Meaningless' Simple Repetitive DNA from Indirect Gene Diagnosis to Multilocus Genome Scanning" Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) Friedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen CL. "Genetic susceptibility to the development of autoimmune diseases" Clin. Sci. 93:479-91 (1997) Heward, Joanne and Gough, Stephen CL. "Genetic susceptibility to the development of autoimmune diseases" Clin. Endocrinol. 49:331-334 (1998) Havand, Japane and Gough, Stephen CL. "Genetic susceptibility to the development of autoimmune diseases" Clin. Endocrinol. 49:331-334 (1998) Kaur, Gurvinder et al. "Association of CTLA-4 to my	CB			Res. Commun. 225:817-18, Article No. 12	256 (Aug. 23, 1996)					
Djilali-Saiah, Idriss. et al. "No Major Role for the CTLA-4 Gene in the Association of Autoimmune Thyroid Disease With IDDM" Diabetes 47:125-27 (Jan. 1998) Donner, Horst et al. "COLOdon 17 Polymorphism of the Cytotoxic T Lymphocyte Antigen 4 Gene in Hashimoto's Thyroiditis and Addison's Disease" J. Clin. Endocrinol. Metabol. 82(12):4130-32 (1997) Donner, Horst et al. "CTLA4 Alanine-17 Confers Genetic Susceptibility to Graves' Disease and to Type 1 Diabetes Melitus" J. Clin. Endocrinol. Metabol. 82(1):143-46 (1997) Donner, Horst et al. "CTLA4 Gene Haplotypes Cannot Protect From IDDM in the Presence of High-Risk HLA DQ8 or DQ2 Alleles in German Families" Diabetes 47:1158-60 (1998) Epplen, Cornelia et al. "Cn simple repetitive DNA sequences and complex diseases" Electrophoresis 18:1577-85 (1997) Epplen, Jörg T. et al. "Exploiting the Informativity of Meaningless' Simple Repetitive DNA from Indirect Gene Diagnosis to Multilocus Genome Scanning" Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) Friedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" J. Neuroimmunol. 83:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2431-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997)	(82		Djilali-Saiah, I. et al. "CTLA-4 gene polym	norphism is associated with p	redisposition to co	oeliac			
Thyroid Disease With IDDM* Diabetes 47:125-27 (Jan. 1998) Donner, Horst et al. "Codon 17 Polymorphism of the Cytotoxic T Lymphocyte Antigen 4 Gene in Hashimoto's Thyroiditis and Addison's Disease* J. Clin. Endocrinol. Metabol. 82(12):4130-32 (1997) Donner, Horst et al. "CTLA4 Alanine-17 Confers Genetic Susceptibility to Graves' Disease and to Type 1 Diabetes Melitus* J. Clin. Endocrinol. Metabol. 82(1):143-46 (1997) Donner, Horst et al. "CTLA4 Gene Haplotypes Cannot Protect From IDDM in the Presence of High-Risk HLA DQ8 or DQ2 Alleles in German Families* Diabetes 47:1158-60 (1998) Epplen, Cornelia et al. "On simple repetitive DNA sequences and complex diseases" Electrophoresis 18:1577-85 (1997) Epplen, Jörg T. et al. "Exploiting the Informativity of "Meaningless" Simple Repetitive DNA from Indirect Gene Diagnosis to Multilocus Genome Scanning* Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) Friedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Harper, Katherine et al. "CTLA4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location* J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C. L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma". Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2431-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study. Hum. Genet. 100:43-50 (1997) Kemp, E. H. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune	}-	83	H		for the CTLA-4 Gene in the /	Association of Auf	oimmu	ine		
Hashimoto's Thyroiditis and Addison's Disease" <i>J. Clin. Endocrinol. Metabol.</i> 82(12):4130-32 (1997) B5 Donner, Horst et al. "CTLA4 Alanine-17 Confers Genetic Susceptibility to Graves' Disease and to Type 1 Diabetes Mellitus" <i>J. Clin. Endocrinol. Metabol.</i> 82(1):143-46 (1997) Donner, Horst et al. "CTLA4 Gene Haplotypes Cannot Protect From IDDM in the Presence of High-Risk <i>HLA DQ8</i> or <i>DQ2</i> Alleles in German Families" <i>Diabetes</i> 47:1158-60 (1998) B7 Epplen, Cornelia et al. "On simple repetitive DNA sequences and complex diseases" <i>Electrophoresis</i> 18:1577-85 (1997) Epplen, Jörg T. et al. "Exploiting the Informativity of "Meaningless" Simple Repetitive DNA from Indirect Gene Diagnosis to Multilocus Genome Scanning" <i>Biol. Chem. Hoppe Seyler</i> 375:795-801 (Dec. 1994) B8 Friedmann, T. "The maturation of human gene therapy" <i>Acta Paediatrica</i> 85:1261-65 (1996) Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" <i>J. Immunol.</i> 147:1037-44 (1991) B11 Heward, Joanne and Gough, Stephen CL. "Genetic susceptibility to the development of autoimmune diseases" <i>Clin. Sci.</i> 93:479-91 (1997) B12 Heward, J.M. et al. "No evidence for allelic association of a human <i>CTLA-4</i> promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" <i>Clin. Endocrinol.</i> 49:331-334 (1998) B13 Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" <i>J. Neuroimmunol.</i> 88:192-98 (1998) B14 Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" <i>Hum. Genet.</i> 100:43-50 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" <i>Cint. Endocrinol.</i> 49:509-13 (1998) B				Thyroid Disease With IDDM" Diabetes 47	7:125-27 (Jan. 1998)					
(1997) B5 Donner, Horst et al. "CTLA4 Alanine-17 Confers Genetic Susceptibility to Graves' Disease and to Type 1 Diabetes Melitus" J. Clin. Endocrinol. Metabol. 82(1):143-46 (1997) B6 Donner, Horst et al. "CTLA4 Gene Haplotypes Cannot Protect From IDDM in the Presence of High-Risk HLA DQ8 or DQ2 Alleles in German Families' Diabetes 47:1158-60 (1998) Epplen, Cornelia et al. "On simple repetitive DNA sequences and complex diseases" Electrophoresis 18:1577-85 (1997) Epplen, Jorg T. et al. "Exploiting the Informativity of Meaningless' Simple Repetitive DNA from Indirect Gene Diagnosis to Multilocus Genome Scanning" Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) B7 Friedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" J. Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997) S16	1	B4		Donner, Horst et al. "Codon 17 Polymorp!	hism of the Cytotoxic T Lymp	phocyte Antigen 4	Gene	in		
Type 1 Diabetes Mellitus" J. Clin. Endocrinol. Metabol. 82(1):143-46 (1997) Donner, Horst et al. "CTLA4 Gene Haplotypes Cannot Protect From IDDM in the Presence of High-Risk HLA DQ8 or DQ2 Alleles in German Families" Diabetes 47:1158-60 (1998) Epplen, Cornelia et al. "On simple repetitive DNA sequences and complex diseases" Electrophoresis 18:1577-85 (1997) Epplen, Jorg T. et al. "Exploiting the Informativity of 'Meaningless' Simple Repetitive DNA from Indirect Gene Diagnosis to Multilocus Genome Scanning" Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) Friedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" J. Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study "Hum. Genet. 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism' Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene Polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associate					sease J. Cilli, Engognitor, with	(€₹8D01, 0∠(1∠).41	30-3∠			
Bonner, Horst et al. "CTLA4 Gene Haplotypes Cannot Protect From IDDM in the Presence of High-Risk HLA DQ8 or DQ2 Alleles in German Families" Diabetes 47:1158-60 (1998)		B5		Donner, Horst et al. "CTLA4 Alanine-17 C	Confers Genetic Susceptibility	y to Graves' Disea	ase an	d to		
High-Risk HLA DQ8 or DQ2 Alleles in German Families" Diabetes 47:1158-60 (1998) Epplen, Cornelia et al. "On simple repetitive DNA sequences and complex diseases" Electrophoresis 18:1577-85 (1997) Epplen, Jörg T. et al. "Exploiting the Informativity of 'Meaningless' Simple Repetitive DNA from Indirect Gene Diagnosis to Multilocus Genome Scanning" Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) Friedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" J. Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997) Kotsa, K. et al. "A CytLoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism' Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes melitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, Marcin et al. "An association of conformance with MPEP 609: Dr		86	 				of			
Epplen, Cornelia et al. "On simple repetitive DNA sequences and complex diseases" Electrophoresis 18:1577-85 (1997) Epplen, Jörg T. et al. "Exploiting the Informativity of 'Meaningless' Simple Repetitive DNA from Indirect Gene Diagnosis to Multilocus Genome Scanning" Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) Friedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Bio Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Bii Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" J. Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of Polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998)				High-Risk HLA DQ8 or DQ2 Alleles in Ge	erman Families" Diabetes 47:	:1158-60 (1998)	UCA OI			
Epplen, Jörg T. et al. "Exploiting the Informativity of 'Meaningless' Simple Repetitive DNA from Indirect Gene Diagnosis to Multilocus Genome Scanning" Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) Friedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" J. Immunol. 147:1037-44 (1991) Bii Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" J. Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998)		87		Epplen, Cornelia et al. "On simple repetiti				V		
Indirect Gene Diagnosis to Multilocus Genome Scanning" Biol. Chem. Hoppe Seyler 375:795-801 (Dec. 1994) Friedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" J. Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent disabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:26-26 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998)		B8	H		mativity of 'Meaningless' Sim	inle Renetitive DN	ιΔ fron	~		
Friedmann, T. "The maturation of human gene therapy" Acta Paediatrica 85:1261-65 (1996) Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" J. Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) B16				Indirect Gene Diagnosis to Multilocus Ger	nome Scanning" Biol. Chem.	Hoppe Seyler 37	5:795	-		
Harper, Katherine et al. "CTLA-4 and CD28 Activated Lymphocyte Molecules are Closely related in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" J. Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998)	-	B 9	\vdash		4b Asta Pandinte	' 05:4064 66 (4				
in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location" <i>J. Immunol.</i> 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" <i>Clin. Sci.</i> 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human <i>CTLA-4</i> promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" <i>Clin. Endocrinol.</i> 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" <i>J. Neuroimmunol.</i> 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" <i>Hum. Genet.</i> 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" <i>Clin. Endocrinol.</i> 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" <i>Clin. Endocrinol.</i> 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" <i>Cent. Eur. J. Immunol.</i> 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" <i>Diabetes & Metab. (Paris)</i> 24:241-43 (1998) Pate Considered Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation.						•	•			
Chromosomal Location" J. Immunol. 147:1037-44 (1991) Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma"J. Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998)		B10		Harper, Katherine et al. "CTLA-4 and CD?	28 Activated Lymphocyte Mo	lecules are Close	ly rela	ted		
Heward, Joanne and Gough, Stephen C.L. "Genetic susceptibility to the development of autoimmune disease" Clin. Sci. 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" J. Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998) Date Considered Patient Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation is in conformance with MPEP 609: Draw line through citation is in conformance with MPEP 609: Draw line through citation is in conformance with MPEP 609: Draw line through citation is in conformance with MPEP 609: Draw line through citation is in conformance with MPEP 609: Draw line through citation is in conformance with MPEP 609: Draw line through citation is in conformance with MPEP 609: Draw line through citation is in conformance with MPEP 609: Draw line through cit				in Both Mouse and Human as to Sequence Chromosomal Location" J. Immunol, 147:	in Both Mouse and Human as to Sequence, Message Expression, Gene Structure, and Chromosomal Location, J. Immunol, 147:1037-44 (1991)					
autoimmune disease" Clin. Sci. 93:479-91 (1997) Heward, J.M. et al. "No evidence for allelic association of a human CTLA-4 promoter polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thyrmoma"J. Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998) Examiner Pater Considered Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation is a conformance with MPEP 609: Draw line through citation is not conformance with MPEP 609: Draw line through citation is not conformance with MPEP 609: Draw line through citation is not conformance with MPEP 609: Draw line through citation is not conformance with MPEP 609: Draw line through citation is not conformance with MPEP 609: Draw line through citation is not conformance with MPEP 609: Draw line through citation is not conformance with MPEP 609: Draw line through citation is not conformance with MPEP 609: Draw line through citation is not co		B11	\Box	Heward, Joanne and Gough, Stephen C.L	L. "Genetic susceptibility to th	ne development o	f			
polymorphism with autoimmune thyroid disease in either population-based case-control or family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" J. Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998) Examiner Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation (Etation is in conformance with MPEP 609: Draw line through citation (Etation is in conformance with MPEP 609: Draw line through citation (Etation is in conformance with MPEP 609: Draw line through citation (Etation is in conformance with MPEP 609: Draw line through citation (Etation is in conformance with MPEP 609: Draw line through citation (Etation is in conformance with MPEP 609: Draw line through citation (Etation is in conformance with MPEP 609: Draw line through citation (Etation is in conformance with MPEP 609: Draw line through citation (Etation is in conformance with MPEP 609: Draw line through citation (Etation is in conformance with MPEP 609: Draw line through citation (Etation is in co	+	R12	Н	autoimmune disease" Clin. Sci. 93:479-91	1 (1997)					
family-based studies" Clin. Endocrinol. 49:331-334 (1998) Huang, DeRen et al. "Genetic association of CTLA-4 to myasthenia gravis with thymoma" J. Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998) Examiner Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation "EXAMINER"		"		Heward, J.M. et al. "No evidence for allelic polymorphism with autoimmune thyroid d	c association of a human Citisease in either population-bases.	*LA-4 promoter ased case-control	or			
Neuroimmunol. 88:192-98 (1998) Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" Hum. Genet. 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998) Examiner Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation is conformance with MPEP 609: Draw line through citation				family-based studies" Clin. Endocrinol. 49	9:331-334 (1998)					
Kaur, Gurvinder et al. "Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" <i>Hum. Genet.</i> 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" <i>Clin. Endocrinol.</i> 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" <i>Clin. Endocrinol.</i> 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" <i>Cent. Eur. J. Immunol.</i> 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" <i>Diabetes & Metab. (Paris)</i> 24:241-43 (1998) Examiner Date Considered 12/12/20 *EXAMINER* Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation		B13			of CTLA-4 to myasthenia gra	avis with thymom	a"J.			
2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study" <i>Hum. Genet.</i> 100:43-50 (1997) Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" <i>Clin. Endocrinol.</i> 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" <i>Clin. Endocrinol.</i> 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" <i>Cent. Eur. J. Immunol.</i> 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" <i>Diabetes & Metab. (Paris)</i> 24:241-43 (1998) Examiner Date Considered Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation		B14		Kaur, Gurvinder et al. "Association of poly	vmorphism at COL3A and CT	ri A4 loci on chroi	nosom			
Kemp, E.H. et al. "A cytotoxic T Lymphocyte antigen-4 (CTLA-4) gene polymorphism is associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998) Examiner Date Considered 12/1/1000 *EXAMINER* Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation				2q31-33 with the clinical phenotype and in	n-vitro CMI status in healthy a	and leprosy subje	cts: a			
associated with autoimmune Addison's disease in English patients" Clin. Endocrinol. 49:609-13 (1998) Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998) Examiner Date Considered Date Considered Date	-	815				ioniem ie				
Kotsa, K. et al. "A CTLA-4 gene polymorphism is associated with both Graves' disease and autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998) Examiner Date Considered Date Considered				associated with autoimmune Addison's dis	isease in English patients" <i>Cl</i>	polymorphism is in. Endocrinol. 49	:609-1	3		
autoimmune hypothyroidism" Clin. Endocrinol. 46:551-54 (1997) Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998) Examiner Date Considered Date Considered		RIA	\dashv	(1998)						
Krokowski, Marcin et al. "An association of CTLA-4 gene A/G polymorphism in exon 1 with insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998) Examiner Date Considered 12/12/12 *EXAMINER* Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation		"				Graves' disease	and			
insulin-dependent diabetes mellitus in the population of Central Poland" Cent. Eur. J. Immunol. 22:262-65 (1997) Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998) Examiner Date Considered 12/12/00 *EXAMINER* Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation		B17	7	Krokowski, Marcin et al. "An association o	of CTLA-4 gene A/G polymore	phism in exon 1 v	vith			
Krokowski, M. et al. "CTLA-4 Gene Polymorphism is Associated with Predisposition to IDDM in a Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998) Examiner Date Considered 12/12/0 *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation	$\downarrow \downarrow \mid$			insulin-dependent diabetes mellitus in the	population of Central Poland	i" Cent. Eur. J. Im	munol	1.		
Population from Central Poland" Diabetes & Metab. (Paris) 24:241-43 (1998) Examiner Date Considered 12/12/07 *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation	V	B18	7	Krokowski, M. et al. "CTLA-4 Gene Polym	norphism is Associated with F	Predisposition to I	DDM i	n a		
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation	<u> </u>	<u></u>		Population from Central Poland" Diabetes	s & Metab. (Paris) 24:241-43 ((1998)				
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation	Examine	C	X	mh	Date Considered			_		
" " " · · · · · · · · · · · · · · · · ·	*EXAMIN	IER!	- (6)	Initial if reference considered, whether or not of the conformance and not considered. Inc.	citation is in conformance with MPE	P 609; Draw line thro	ugh cita	tion		

COPY OF PAPERS ORIGINALLY FILED

	•			Sheet	3 of 5				
APPLICANT F	ACSIMILI	E OF FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY DOCKET NO GNN-5343CP2	SERIAL NO. 10/085906	CEN	חבר			
LIST		PUBLICATIONS CITED BY APPLICANT	APPLICANT		33	0			
	(Use several sheets if necessary)	Vincent Ling et al.	GROUP	_				
\	JUL	C 5 2002 0	February 27, 2002	1634	8	2002			
	Elv.	TRADEMINIOTHERS (including Author, Title, D Krokowski, M. et al. <i>Diabetol. Pol.</i> 5(Sup			600/2900				
	[6]	Krokowski, M. et al. Diabetol. Pol. 5(Sup	ate, Pertinent Pages, Etc.)	Only)					
95		Mokowski, W. et al. Diabetol. 1 Ol. Stody	ppi. 1).40-02 (1990)(Abstract (Jiny)					
 	C2	Marron, Michele P. et al. "Insulin-depen-			with CTL	A4			
	C3	polymorphisms in multiple ethnic groups							
	00	Mehrian, Ruty et al. "Synergistic Effect I Susceptibility to Systemic Lupus Erythe		• •	•				
	C4	Nisticò, Lorenza et al. "The CTLA-4 gen							
		associated with, type 1 diabetes" Huma							
	C5	Owerbach, David et al. "Analysis of Car	•	, ,,					
		Case-Control and Family-Association S 46:1069-74 (June 1997)	lady of genes on Chromosom	e 2431-35 <i>Dia</i>	Detes				
	C6	Polymeropoulos, Michael H. et al. "Dinu	cleotide repeat polymorphism	at the human	CTLA4 g	ene"			
	C 7	Nucleic Acids Res. 19(14):4018 (1991)							
	ŭ,	Pozzilli, P. et al. "Non-HLA genes and the CTLA-4 gene" Acta Diabetol. 33:250		endent diabete:	s: the role	e or			
	C8	Sale, Michèle M. et al. "Association of A	3	ith a Microsate	llite mark	er			
		for the Thyrotropin Receptor Gene and							
	C9	Physicians 109(5):453-61 (1997)		id adhable? Tie	Andi-				
		Seidl, C. et al. "CTLA codon 17 dimorph 51:62-66 (1998)	lism in patients with meumato	id arthritis Tiss	sue Antig	ens			
	C10	She, Jin-Xiong "Genetic Factors in Type	e 1 Diabetes: A Complex Dise	ase" J. Clin. Li	gand Ass	say			
	C11	21(3):272-81 (Fall 1998) Todd, J.A. "Genetics of Type Diabetes	" Dothal Biol 45:240 27 (Mar-	- 4007)					
		Todd, J.A. Genetics of Type I Diabetes	Fatriol. Diol. 45.219-27 (Mai	S 1997)					
	C12	Todd, John A. and Farrall, Martin "Pann		anning for linka	ge in type	e 1			
	C13	diabetes" <i>Hum. Mol. Genet.</i> 5:1443-48 Tomer, Yaron and Davies, Terry F. "The		ves' disease" B	aillieres (Clin.			
		Endocrinol. & Metab. 11(3):431-50 (Oct	. 1997)			· · · · · · · · · · · · · · · · · · ·			
	C14	Tomer, Yaron et al. "Mapping of a Major Chromosome 14q31" J. Clin. Endocrino			D-1) to				
	C15	Valdya, B. et al. "Affected Sibling-Pair A Endocrinol. 156(Suppl.):P319	nalysis of the CTLA-4 Locus i	n Graves' Dise	ase" J.				
	C16	Valère, Thomas "Thérapie génique: le p 12:73-83 (1996)	oint sur les essais cliniques" /	M.S. Medecine	Sciences	S			
	C17	Van der Auwera, B. et al. "CTLA-4 Gene							
	C18	Independently from Genetic and Immun							
	C16		Van der Auwera, B.J. et al. "CTLA-4 gene polymorphism confers susceptibility to insulin- dependent diabetes mellitus (IDDM) independently from age and from other genetic or immune						
V		disease markers" Clin. Exp. Immunol. 110:98-103 (1997)							
Ø	C19	Waterman, E.A. et al. "A study of the as and postpartum thyroiditis" Clin. Endocr.		hism in the CT	LA-4 gen	ne			
Examine	r (Smitz	Date Considered 12/12/18						
*EXAMII	NER:	// ()		EP 609: Draw line	through cit:	ation			
		if not in conformance and not considered.	include copy of this form with next co	mmunication to ap	plicant.				

COPY OF PAPERS ORIGINALLY FILED

• •		•)			•		400	
REV 7-80	FACSIMIL	LE OF FORM PT	O-1449	COMA	DEPARTMENT OF IMERCE ENT AND TRADEMARK OF	FFICE	ATTY DOCKET NO GNN-5343CP2	SERIAL NO. 10/085906	H CEN	JUL
LIS	T OF	PUBLIC (Use sev	vegel@nee	ets if nedes	APPLICANT Sary)		Vincent Ling et al.		田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田	1 0
				0 5 2002 5	1		Filing Date February 27, 2002	1634	1600	2002
			OWNERS	S (including	/ g Author, Title,	, <u>Da</u> 1	te, Pertinent Pages, Etc.)		290	
95	D1	1 di	as, H.W. iabetes in	Polyin contrast to	morphism loca o A → G trans	ated sition	in promoter in CTLA-4 gen within exon 1" Biomedicai	.ett. 58:163-68	(1998)	
	D2	Yan	nagawa, T	Tatsuo et al	al. "CTLA-4 Ge	ene P	Polymorphism Associated w ol. Metab. 80(1):41-45 (1995	th Graves' Disc	ease in a	
95	D3	Yan	nagawa, T	Tatsuo et al	al. "CTLA4 Ger (6):843-46 (19	ne Po	olymorphism Confers Susc	eptibility to Grav	/es' Dise	ase
-				***************************************	(0).0.10	,,				
										
			"							
		\vdash								
	H					*****				· · · · · · · · · · · · · · · · · · ·
	\vdash	+						·		
	H	\vdash		·	***************************************					
	H									
		—							- -	
									······	
			1974 - Martin Waller							
						·				
	Щ									
]										
Examiner		2	Emis	<u></u>		D	Date Considered	3		
*EXAMIN	IER	U	Initial if refe if not in cor	erence consideration	dered, whether or and not considered	r not c	citation is in conformance with MP clude copy of this form with next co	FP 609: Draw line t	hrough cita	ation

COPY OF PAPERS ORIGINALLY FILED

	•				Sheet 5	品。			
APPLICANT REV 7-80	FACSIMIL	E OF I	FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT MID TRADEMENT OFFICE	ATTY DOCKET NO GNN-5343CP2	SERIAL NO. 10/085906		JUL		
LIS			BLICATIONS CITED BY OPPLICANTO	Vincent Ling et al.	1	CENTER	1 0		
	'	UG	e several sheets if negessary)	FILING DATE	GROUP 1634	- 2) 2002		
	OTHERS (including Authors Date, Pertinent Pages, Etc.)								
	E		OTHERS (including Xundauthe, Da Aicher, A. et al. "Characterization of huma	te, Pertinent Pages, Etc.)	nd everession :				
GK,			function" J Immunol May 1, 2000; 164(9):	4689-96	·				
B	EZ		Genbank accession no. AF225900 for Ho			•			
45	E3 C		Hutloff, A. et al. "ICOS is an inducible T-c CD28" <i>Nature</i> January 21, 1999; 397(67)		and functionally	related t	:О		
~	E4		Ling, V. et al. "Complete sequence deterr	mination of the mouse and hi					
\$			cross-species DNA sequence similarity b 60(3):341-55	eyona exon porders. Geno	mics Septembe	r 15, 199	9;		
				COPY OF ORIGINAL					
									
		H	×						
		\vdash							
		H							
							,		
Examine	7		nitre "	Date Considered	2/12				
*EXAMI	JED /	7	Initial if reference considered whether or not		20 0 5 15 15 15 15 15 15 15 15 15 15 15 15 1				

Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.